



PRODUCT CATALOG

Intermec Printers 2016

Label Unwinder-UW series.

Label Rewinder-RW series

Back Paper Rewinder-RW-B series

Un/Rewinder-URW series

Unwinder/Back Paper Rewinder-URW-B series

Dispenser units-DF series

The manufacturer reserves the right to change specifications without prior notice.

Internet: <http://www.nasab.com>

e-mail: info@nasab.com

Label Unwinder, (UW-S-LC, W=125/180mm, D=260mm)
Label Unwinder, (UW-L-LC, W=125/180mm, D=360mm)
 (Universal Low cost model)

UW-S-LC Model


Width 135mm – Article No.: 108-00-01

Width 180mm – Article No.: 108-06-01

UW-L-LC Model

Width 135mm – Article No.: 108-00-02

Width 180mm – Article No.: 108-06-02



UW-S-LC



UW-L-LC

Technical Specification Low cost universal Unwinder Unit UW-LC:

This is a "Universal Stand Alone Low-Cost Model" which can be used together with any Printer.
 No adapter for connecting the printer together with the Unwinder unit is supplied.

Shaft length:	125/180mm
Label roll size, diameter:	12-260/360mm
Weight (net):	0,8 kg/1,5kg
Label/Tag thickness:	80 g/m ²
Length:	200/250mm
Width:	170/250mm
Height:	185/230mm

Label Unwinder UW4S & 6S




Art. No.	Label width 125mm, Roll diameter 260mm
99-90-24	UW4S, Unwinder unit C4 Printer
99-90-25	UW4S, Unwinder unit PF8 Printer
99-50-35	UW4S, Unwinder Unit, E4/301 Printer
99-90-05	UW4S, Unwinder unit, F2 Printer
99-90-43	UW4S, Unwinder unit, 3220/3240 Printer
99-90-11	UW4S, Unwinder unit, F4, PF4i, PF4ci Printer
99-90-13	UW4S, Unwinder unit, PM4i Printer
99-70-38	UW4S, Unwinder unit, PD4i Printer
99-70-43	UW4S, Unwinder unit, PD41i/42i Printer
99-90-41	UW4S, Unwinder Unit, Intermec 3400/3440
95-50-27	UW4S, Unwinder Unit, 401, 501, 501XP, PX4, PX5 Printer
99-70-45	UW4S, Unwinder unit, 4420/4440 Printer
	Label width 180mm, Roll diameter 260mm
99-60-28	UW6S, Unwinder Unit, 601, 601XP, PX6 Printer
99-60-27	UW6S, Unwinder Unit, 3600 Printer

Technical Specification Unwinder Unit UW-4S & 6S:

Shaft length:	145mm(4S), 195mm(6S)
Label roll size, diameter:	12-260mm
Weight (net):	0,8 kg
Label/Tag thickness:	80 g/m ²
Length:	250mm
Width:	170mm(4S), 250mm(6S)
Height:	180mm

Label Unwinder (Heavy Duty) UW4L & 6L



ART. No.	Label width 125mm, Roll diameter 360mm
99-90-29	UW4L, Unwinder unit, C4 Printer
99-90-30	UW4L, Unwinder unit PF8 Printer
99-60-03	UW4L, Unwinder unit, F2 Printer
99-70-46	UW4L, Unwinder unit, 3220/3240 Printer
99-60-32	UW4L, Unwinder unit, F4, PF4i, PF4ci Printer
99-60-34	UW4L, Unwinder unit, PM4i Printer
99-70-40	UW4L, Unwinder unit, PD4i Printer
99-70-44	UW4L, Unwinder unit, PD41i/42i Printer
99-60-33	UW4L, Unwinder Unit, Intermec 3400/3440
99-60-35	UW4L, Unwinder Unit, 401, 501, 501XP, PX4, PX5 Printer
99-60-37	UW4L, Unwinder unit, 4420/4440 Printer
	Label width 180mm, Roll diameter 360mm
99-60-36	UW6L, Unwinder Unit, 601, 601XP, PX6 Printer
99-60-38	UW6L, Unwinder Unit, 3600 Printer

Technical Specification Unwinder Unit UW-4L & 6L:

Bobbin length:	130mm(4L), 180mm(6L), (Available for 3" Adapter)
Label roll size, diameter:	40-360mm
Weight (net):	2,0 kg
Label/Tag thickness:	80 g/m ²
Length:	350mm
Width:	170mm(4L), 250mm(6L)
Height:	230mm

**Label Rewinder, (RW-S-LC, W=130/180mm, D=210mm)
Label Rewinder, (RW-L-LC, W=130/180mm, D=360mm)**

(Universal Low cost model)

RW-S-LC Model

Width 130mm – Article No.: 108-00-03

Width 180mm – Article No.: 108-06-03

RW-L-LC Model

Width 130mm – Article No.: 108-00-04

Width 180mm – Article No.: 108-06-04



RW-S-LC



RW-L-LC

Technical Specification Low cost universal Rewinder Unit RW-LC:

This is a "Stand Alone Low-Cost Model" which can be used together with any Printer.
No adapter for connecting the printer together with the Rewinder unit is supplied.

Bobbin length:	130/180mm
Label roll size, diameter:	40-210/360mm
Weight (net):	1,5 kg/2,2kg
Label/Tag thickness:	80 g/m ²
Length:	200/250 mm
Width:	170/250mm
Height:	185/230mm

Note: Power supply included together with the Rewinder.



Label Rewinder RW4S & 6S



Note: All Rewinders in the RW-S series can be adjusted sideways, (left/right)

Art. No.	Label width 125mm, Roll diameter 210mm
99-90-23	RW4S, Rewinder unit C4 Printer
99-90-26	RW4S, Rewinder unit PF8 Printer
99-50-34	RW4S, Rewinder unit, E4/301
99-90-04	RW4S, Rewinder unit, F2 Printer
99-90-42	RW4S, Rewinder unit, 3220/3240
99-90-07	RW4S, Rewinder unit, F4, PF4i, PF4ci Printer
99-90-44	RW4S, Rewinder unit, PM4i Printer
99-70-37	RW4S, Rewinder unit, PD41 Printer
99-70-41	RW4S, Rewinder unit, PD41i/42i
99-90-40	RW4S, Rewinder unit, 3400/3440 Printer
99-50-10	RW4S, Rewinder unit, 401, 501, 501XP, PX4, PX5 Printer
99-50-12	RW4S, Rewinder unit, 4420/4440 Printer
	Label width 180mm, Roll diameter 210mm
99-50-11	RW6S, Rewinder unit, 601, 601XP, PX6 Printer
99-50-13	RW6S, Rewinder unit, 3600 Printer

Technical Specification Rewinder Unit RW4S & 6S:

Bobbin length:	130mm(4S), 180mm(6S), (Available for 3" Adapter)
Label roll size, diameter:	40-210mm
Weight (net):	1,5 kg
Label/Tag thickness:	80 g/m ²
Length:	250 mm
Width:	170mm(4S), 250mm(6S)
Height:	185mm

Label Rewinder (Heavy Duty) RW4L & 6L



Note: All the Rewinders in the RW-L series can be adjusted sideways, (left/right)

ART. No.	Label width 125mm, Roll diameter 360mm
99-70-48	RW4L, Rewinder unit, F2 Printer
99-70-47	RW4L, Rewinder unit, 3220/3240
99-70-32	RW4L, Rewinder unit, F4, PF4i, PF4ci Printer
99-70-34	RW4L, Rewinder unit, PM4i Printer
99-70-39	RW4L, Rewinder unit, PD4i Printer
99-70-42	RW4L, Rewinder Unit, PD41i/42i
99-70-33	RW4L, Rewinder unit, 3400/3440 Printer
99-70-31	RW4L, Rewinder unit, 401, 501, 501XP, PX4, PX5 Printer
99-70-35	RW4L, Rewinder unit, 4420/4440 Printer
	Label width 180mm, Roll diameter 360mm
99-70-30	RW6L, Rewinder unit, 601, 601XP, PX6 Printer
99-70-36	RW6L, Rewinder unit, 3600 Printer

Technical Specification Rewinder Unit RW-4L & 6L:

Bobbin length:	130mm(4L), 180mm(6L), (Available for 3" Adapter)
Label roll size, diameter:	40-360mm
Weight (net):	1,5 kg
Label/Tag thickness:	80 g/m ²
Length:	250mm
Width:	170mm(4L), 250mm(6L)
Height:	230mm

Back Paper Rewinder B-model, RW4S-B



Note: The Back Paper Rewinder can easily be adjusted sideways, (left/right)

Art. No.	Label width 125mm, Roll diameter 130mm
99-30-31	RW4S-B, Back Paper Rewinder unit C4 Printer
99-30-32	RW4S-B, Back Paper Rewinder unit PF8 Printer

Technical Specification Back Paper Rewinder Unit RW-4S-B:

Bobbin length:	130mm
Label roll size, diameter:	130mm
Weight (net):	1,0 kg
Label/Tag thickness:	80 g/m ²
Length:	250mm + Length of Printer
Width:	170mm
Height:	185mm

Label Unwinder/Rewinder URW4S & 6S




**Note: Only the Rewinder unit in the URW-S series can be adjusted sideways, (left/right)
The Unwinder Roll are adjusted with stoppers.**

	(Rewinder in front, Unwinder behind printer)
ART. No.	Label width 125mm, Roll diameter RW-210/UW-260mm
99-50-26	URW4S-201, Unwinder/Rewinder Unit Printer 201
99-90-06	URW4S-F2, Unwinder/Rewinder Unit Printer F2
99-90-14	URW4S-32, Unwinder/Rewinder Unit Printer 32xx
99-90-12	URW4S-F4, Unwinder/Rewinder Unit Printer F4xx, PF4xx
99-90-47	URW4S-PM4i, Unwinder/Rewinder Unit Printer PM4i
99-90-45	URW4S-34, Unwinder/Rewinder Unit Printer 34xx
99-90-58	URW4S-PD41 Unwinder/Rewinder Unit Printer PD41i/42i
99-50-27	URW4S-PX5 Unwinder/Rewinder Unit Printer PX4i, PX5i, 501 xx
99-90-46	URW4S-44 Unwinder/Rewinder Unit Printer 44xx
	Label width 180mm, Roll diameter RW-210/UW-260mm
99-60-29	URW6S-PX6 Unwinder/Rewinder Unit Printer PX6i
99-90-54	URW6S-36 Unwinder/Rewinder Unit Printer 36xx

Technical Specification Unwinder/Rewinder Unit URW4S & 6S:

	Unwinder unit	Rewinder unit
Bobbin length:	145mm(4S), 195mm(6S)	130mm(4S), 180mm(6S),
Label roll size, diameter:	12-260mm	40-210mm
Weight (net):	3,2 kg	
Label/Tag thickness:	80 g/m ²	
Length:	450mm + length of printer	
Width:	170mm(4S), 250mm(6S)	170mm(4S), 250mm(6S)
Height:	185mm	185mm

Label Unwinder/Rewinder (Heavy Duty) URW4L & 6L




Note: Both the Unwinder and the Rewinder in the URW-L series can be adjusted sideways, (left/right)

ART. No.:	Label width 125mm, Roll diameter 360mm
99-90-62	URW4L-F2, Unwinder/Rewinder Unit Printer F2
99-90-63	URW4L-32, Unwinder/Rewinder Unit Printer 32xx
99-90-48	URW4L-F4, Unwinder/Rewinder Unit Printer F4xx, PF4xx
99-90-49	URW4L-PM4i, Unwinder/Rewinder Unit Printer PM4i
99-90-30	URW4L-32, Unwinder/Rewinder Unit Printer 32xx
99-90-50	URW4L-34, Unwinder/Rewinder Unit Printer 34xx
99-90-59	URW4L-PD41 Unwinder/Rewinder Unit Printer PD41i/42i
99-90-51	URW4L-PX5 Unwinder/Rewinder Unit Printer PX4i, PX5i, 501xx
99-90-53	URW4L-44 Unwinder/Rewinder Unit Printer 44xx
	Label width 180mm, Roll diameter 360mm
99-90-52	URW6L-PX6 Unwinder/Rewinder Unit Printer PX6i
99-90-55	URW6L-36 Unwinder/Rewinder Unit Printer 36xx

Technical Specification Unwinder/Rewinder Unit URW4L & 6L:

	Unwinder unit	Rewinder unit
Bobbin length:	130mm(4S), 180mm(6S),	130mm(4S), 180mm(6S),
Label roll size, diameter:	40-360mm	40-360mm
Weight (net):	4,5 kg	
Label/Tag thickness:	80 g/m ²	
Length:	500mm + length of printer	
Width:	170mm(4S), 250mm(6S)	170mm(4S), 250mm(6S)
Height:	230mm	230mm

Label Unwinder/Back Paper Rewinder URW-B-4S, URW-B-4L & URW-B-6L



	Label width 130mm, Roll diameter UW-260mm/RW-130
99-90-66	URW-B-4S-C4, Unwinder/Rewinder Unit Printer C4
99-90-67	URW-B-4S-PF8, Unwinder/Rewinder Unit Printer PF8
	Label width 130mm, Roll diameter UW-360mm/RW-210
99-90-68	URW-B-4L-F2, Unwinder/Rewinder Unit Printer F2
99-90-69	URW-B-4L-32, Unwinder/Rewinder Unit Printer 32xx
99-90-78	URW-B-4L-F4, Unwinder/Rewinder Unit Printer F4xx, PF4xx
99-90-79	URW-B-4L-PM4, Unwinder/Rewinder Unit Printer PM4i
99-90-80	URW-B-4L-34, Unwinder/Rewinder Unit Printer 34xx
99-90-81	URW-B-4L-PD41, Unwinder/Rewinder Unit Printer PD41i, PD42i
99-90-82	URW-B-4L-PX5, Unwinder/Rewinder Unit Printer PX4i, PX5i, 501xx
99-90-85	URW-B-4L-44, Unwinder/Rewinder Unit Printer 44xx
	Label width 180mm, Roll diameter UW-360mm/RW-210
99-90-83	URW-B-6L-PX6, Unwinder/Rewinder Unit Printer PX6i
99-90-84	URW-B-6L-36, Unwinder/Rewinder Unit Printer 36xx
95-50-11	Power Supply 12V DC, 2,0A(included in price)

Technical Specification Unwinder/Rewinder Unit URW-B-4S & URW-B-4L, 6L:

	Unwinder unit	Rewinder unit
Bobbin length:	145mm	130mm
Label roll size, diameter:	260/360mm	130/210mm
Weight (net):	3,2/4,5 kg	
Label/Tag thickness:	80 g/m ²	
Length:	450mm + length of printer	
Width:	170mm	170mm
Height:	185/235mm	185mm

Label Dispenser unit for Printer



External Dispenser for adaption together with any printer.
The dispenser is designed for applying the labels automatically on the product on line together with a printer.
The dispenser is adjustable up/down and in/out to match the different label sizes.

NOTE: All dispenser units are delivered without Floor Stand.
For further information pls. Contact info@nasab.com

Art. No.	Dispenser Unit
	Label width 55mm
99-90-02	DF2E, Dispenser unit with E lectronic for external start
99-90-03	DF2, Dispenser unit
99-90-15	DF2XE, Dispenser unit with Electronic for external start. External Label Roll
99-90-16	DF2X, Dispenser unit. External Label Roll
99-90-17	DF2FE, Dispenser unit with Electronic for external start. Label Fan folded
99-90-18	DF2F, Dispenser unit. Label Fan folded
	Label width 125mm
99-90-09	DF4E, Dispenser unit with E lectronic for external start
99-90-10	DF4, Dispenser unit
99-90-19	DF4XE, Dispenser unit with Electronic for external start. External Label Roll
99-90-20	DF4X, Dispenser unit. External Label Roll
99-90-21	DF4FE, Dispenser unit with Electronic for external start. Label Fan folded
99-90-22	DF4F, Dispenser unit. Label Fan folded
99-60-30	D-401/501, Dispenser Unit, 401/501, PX4, PX5 Printer
	Label width 180mm
99-60-31	D-601, Dispenser Unit, 601, 601XP, PX6X Printer
99-60-39	D-601RW, Dispenser Unit, w/Rewinder unit/Start electr.

The manufacturer reserves the right to change specifications without prior notice.